



Portage County EMS Patient Care Guidelines



Determination of Death/ Termination of Resuscitation

Note:

- Cardiac arrest patients will receive full resuscitation efforts based on current guidelines.
- Patients that do not respond to these efforts will generally not be transported to the hospital.
- All efforts should be made to not transport a non-salvageable patients in cardiac arrest.
- In a multiple-patient or mass casualty incident, triage patients using multiple patient triage procedures.

ALL LEVELS

EMS personnel may cease or withhold resuscitation efforts when the following circumstances are present upon arrival:

- Presence of Do Not Resuscitate (DNR) orders
 - Valid Wisconsin Do Not Resuscitate wristband
 - Valid advance directive form such as a Living Will, Physician Orders for Life-Sustaining Treatment (POLST) or other health care facility documentation of a DNR order.
 - The patient's Power of Attorney for Health Care (POA-HC) directs cessation of resuscitation and EMS has no reason to suspect the patient has revoked the POA-HC or that the agent is not acting consistently with the prior wishes of the patient.
 - Document the name of the POA-HC
 - Direct order from medical control physician.
- Presence of irreversible biological death
 - Decomposition
 - Rigor mortis
 - Dependant lividity (dependent mottled, bluish appearance) with
 - Pulselessness AND
 - Apnea AND
 - No shockable rhythm
- Traumatic injuries
 - Injuries incompatible with life such as decapitation or transected torso
 - Bodily position not compatible with life (i.e. contortion)
 - Efforts should be made to document absence of vital signs
 - Penetrating trauma
 - No pupil response
 - No spontaneous movement
 - No shockable rhythm or organized EKG activity in two leads
 - Blunt trauma
 - Pulseless AND
 - Apneic AND
 - No shockable rhythm
 - In a multiple-patient or mass casualty incident these patients are triaged BLACK.

Contact Medical Control for the following:

- A physician on scene wants to direct continuing or discontinuing resuscitation in conflict with the direction this protocol or medical control gives you
- Other circumstances of obvious death not listed above
- Determination of death confirmation

INTERMEDIATE/ PARAMEDIC

EMS personnel may terminate resuscitation in the following circumstances

- Medical cardiac arrest
 - The options available to you under the *Cardiac Arrest Guidelines* have been exhausted AND
 - 20 minutes of ACLS care have been provided AND
 - All three of the following are true
 - There has been no return of spontaneous circulation
 - The arrest was not witnessed by EMS personnel
 - No shockable rhythm was witnessed
- Traumatic cardiac arrest
 - Arrest witnessed by EMS personnel
 - Perform full resuscitation for 15 minutes and reassess
 - If patient remains in arrest, terminate efforts

Contact Medical Control for the following:

- Termination recommendations for patients that do not meet all the criteria

Other post-termination procedures

- Document time that resuscitation efforts were terminated.
- Contact Coroner. Do not disturb potential evidence.
- Remain with deceased until released by law enforcement or coroner.
- Assist surviving loved ones with contacting spiritual support, family or grief resources as needed.

References

- National Association of EMS Physicians and American College of Surgeons Committee on Trauma. "Position Statement: Termination of resuscitation for adult traumatic cardiopulmonary arrest." *Prehospital Emergency Care* 2012; 16:571
- Morrison LJ, et al. "Validation of a universal prehospital termination of resuscitation clinical prediction rule for advanced and basic life support providers." *Resuscitation* (2009), doi:10.1016/j.resuscitation.2008.11.014
- Hopson MD, Laura R, et al. "Guidelines for withholding or termination of resuscitation in prehospital traumatic cardiopulmonary arrest: A joint position paper from the National Association of EMS Physicians Standards and Clinical Practice Committee and the American College of Surgeons Committee on Trauma." *Prehospital Emergency Care* Jan/Mar 2003

- “Prehospital termination of life support under the medial direction of Saint Michael’s emergency physicians (Guidelines).” Ethics Committee, Saint Michael’s Hospital

Date of Origin: 3/25/14	Medical Director Approval: 12/18/2016
Date of This Revision: 11/1/2016	Electronically Signed
State of Wisconsin Approval 3/20/2017	M. Sarah Brandt, MD
Date of Review: 11/1/2016	